

Queries to Index Fields

Package Version 1.56 and later

Query 1

```
select id from smagicinteract__smsMagic__c where  
(smagicinteract__Unformatted_Phone_Number__c in :phoneValues or  
smagicinteract__PhoneNumber__c in :phoneValues) and  
smagicinteract__senderid__c = :inboundNumber limit 1
```

Query 2

```
select id from smagicinteract__Conversation__c where  
smagicinteract__Sender__r.smagicinteract__senderId__c in :senderIDSet and  
smagicinteract__Mobile_Number__c = :mobileSet and smagicinteract__State__c  
= \'Open\' and ownerId = :userID order by createddate desc
```

Fields

•smagicinteract__Unformatted_Phone_Number__c•smagicinteract__PhoneNumber__c
of smagicinteract__smsMagic__c•smagicinteract__Mobile_Number__c of
smagicinteract__Conversation__c

```
select id from smagicinteract__smsMagic__c where  
smagicinteract__Direction__c = :directionValue and (smagicinteract__Lead__c  
= null OR smagicinteract__lead__r.isconverted = false) and  
(smagicinteract__Unformatted_Phone_Number__c in :phoneValues or  
smagicinteract__PhoneNumber__c in :phoneValues) and  
smagicinteract__senderid__c in :outgoingSenderIds order by  
smagicinteract__CreatedOn__c desc NULLS LAST limit 1
```

Package Version 1.51

Query

```
select id from smagicinteract__smsMagic__c where  
(smagicinteract__Unformatted_Phone_Number__c in :phoneValues or  
smagicinteract__PhoneNumber__c in :phoneValues) and  
smagicinteract__senderid__c = :inboundNumber limit 1
```

Fields to Index

•smagicinteract__Unformatted_Phone_Number__c•smagicinteract__PhoneNumber__c
of smagicinteract__smsMagic__c

Package Version 1.50

Query

```
select id from smagicinteract__smsMagic__c where  
(smagicinteract__Unformatted_Phone_Number__c in :phoneValues or  
smagicinteract__PhoneNumber__c in :phoneValues) and  
smagicinteract__senderid__c = :inboundNumber limit 1select id from  
smagicinteract__Conversation__c where  
smagicinteract__Sender__r.smagicinteract__senderId__c in :senderIDSet and  
smagicinteract__Mobile_Number__c = :mobileSet and smagicinteract__State__c  
= \'Open\' and ownerId = :userID order by createddate desc
```

Fields to Index

•smagicinteract__Unformatted_Phone_Number__c•smagicinteract__PhoneNumber__c
of smagicinteract__smsMagic__c•smagicinteract__Mobile_Number__c of
smagicinteract__Conversation__c

Package Version 1.48 or earlier

Query

```
select id from smagicinteract__smsMagic__c  
wheresmagicinteract__PhoneNumber__c in :MobNum1 order by createdDate desc  
limit 1
```

Fields to Index

smagicinteract__PhoneNumber__c of smagicinteract__smsMagic__c