

# Object Description

Object Name	Description
Conversation_Recipient_Map__c	This object contains the value of the Conversation lookup.
SenderId_Profile_Map__c	This object contains the profile ID related to the sender ID of the user.
Error_Log__c	This object stores the error log raised while using the Converse application.
AccessibleChannels__c	This object contains the value whether MMS and SMS is enabled or not for user .
SMS_Batch_Execution_Tracker__c	The object stores batch related information for Campaign.
Conversation_View_Setting__c	Custom setting to filter the incoming and outgoing messages' records based on user selection.
SMS_Magic_Package_Type__c	This object stores the package type.
Converse_App__c	This is the container object for driving the SMS usage through SMS-Magic in planned manner. The object gives an easy way to control and use SMS-Magic. The object also gives control on Template usage.
Converse_Desk_Recently_Used_Filters__c	This object stores recently used listview filters or converse apps on converse desk.
Unrelated_Object_Config__c	This object stores information about parent object.
SMS_Magic_Security_Setting__c	This is SMS-Magic Security setting object. For storing the APP key, API key and user's register status.
Object_Metadata_Config__c	This object stores label of page or button created through Interact package.
Campaign	Not part of package.
SMS_Magic_SetUp_Tracker__c	This setting will hold the values of the steps that have been completed by the user.
global_settings__c	A place to store all system wide custom settings used to configure behavior of SMS Magic Interact application
Incoming_SMS__c	You can receive incoming sms to this number.
Keyword_Action_Config__c	To be used in future.
License__c	Stores information of a license whether a license is active or not.

Update_Related_Lists__c	Update related lists of incoming and outgoing messages on lead conversion
Child_Object_Config__c	To be used in future.
Object_Field_Config__c	Stores field name to be used by Message Object Config object.
SMS_Template__c	SMS Template is similar to Email template, it gives way to add personalization to bulk sms'ing.
Disable_Triggers_Execution__c	This setting allows administrators to disable certain triggers on SMS Magic managed package.
Keyword_Action_Map__c	Stores the keyword info for converse app action.
Converse_App_User_Map__c	Stores the info of users assigned to converse app.
Action__c	Stores the supported actions on conversation.
MMS_Detail__c	Stores the MMS detail of Outgoing.
Incoming_MMS_Detail__c	Stores the MMS detail of Incoming.
Message_Object_Config__c	operator to be used to check if record is opted out
Action_Parameter__c	Stores the parameter details for supported actions.
Converse_App_Action__c	As Converse App is container of SMS activities like Bulk SMS, Automated SMS, We need a sub object which will be used to store the Activity instruction level details. E.g. Bulk for sub purpose A, B,C or An automation configurations for each of workflow rule.
Converse_Desk_User_Config__c	This object will store information about which fields to be used to for showing conversation listing. This setting will be configurable per user.
Acknowledgement_Popup_Setting__c	This setting is used to show or hide popup message on send sms button click of record detail page.
Keyword__c	Stores the keyword info.
Converse_App_Task__c	Stores the instance for converse app when bulk , single or automated messages are sent.
Converse_App_Template_Map__c	For mapping templates with converse Apps
Action_Object__c	Stores action supported for MOC objects.
Alpha_SenderID_Map__c	Stores the return path of alpha numeric sender id.

smsMagic__c	SMS-Magic object in Interact, This is basic Object which stores information about Outgoing SMS.
SMS_Magic_URL_Setting__c	This is used for configuring sms magic interacts endpoints.
SMS_Schedule__c	Stores the schedule for sending out messages.
Conversation_Related_Objects__c	Stores the related object info of a conversation.
Conversation_Sender_Map__c	Stores the sender id for conversations.
License_Management__c	Stores the number of SMC licenses for org.
SMS_SenderId__c	id of email template which should be used for notification
Conversation_Intent_Map__c	Not part of package.
Conversation__c	This object stores the conversations.